

1. Device Name	SECURITEX PF																																																
2. Description	Powder Free Latex, Beaded Cuff, On-Line Chlorinated, Textured Surface, Ambidextrous, Non Sterile, Single Use.																																																
3. Product Codes & Sizes	<table border="1"> <thead> <tr> <th>Product Code</th> <th>Size</th> <th>Inner Barcode</th> <th>Shipper Barcode</th> </tr> </thead> <tbody> <tr> <td>40080</td> <td>XS</td> <td>9311059400804</td> <td>19311059400801</td> </tr> <tr> <td>41004</td> <td>SMALL</td> <td>9311059410049</td> <td>19311059410046</td> </tr> <tr> <td>41005</td> <td>MEDIUM</td> <td>9311059410056</td> <td>19311059410053</td> </tr> <tr> <td>41006</td> <td>LARGE</td> <td>9311059410063</td> <td>19311059410060</td> </tr> <tr> <td>41007</td> <td>XL</td> <td>9311059410070</td> <td>19311059410077</td> </tr> </tbody> </table>				Product Code	Size	Inner Barcode	Shipper Barcode	40080	XS	9311059400804	19311059400801	41004	SMALL	9311059410049	19311059410046	41005	MEDIUM	9311059410056	19311059410053	41006	LARGE	9311059410063	19311059410060	41007	XL	9311059410070	19311059410077																					
Product Code	Size	Inner Barcode	Shipper Barcode																																														
40080	XS	9311059400804	19311059400801																																														
41004	SMALL	9311059410049	19311059410046																																														
41005	MEDIUM	9311059410056	19311059410053																																														
41006	LARGE	9311059410063	19311059410060																																														
41007	XL	9311059410070	19311059410077																																														
4. Recommended Applications	<ul style="list-style-type: none"> Medical Medical Instrument Cleaning Hospitals Diagnostic Pharmaceutical Laboratory Dental Aged Care Child Care Correctional Forensic Food Service Tattooists Emergency Services Cosmetic Veterinary Hair and Beauty 																																																
5. Materials	Natural Rubber Latex, Cyclaron-1, ZDBC, ZDEC, Zinc Oxide, Wingstay-L, Sulphur, Titanium Dioxide, Wax.																																																
6. Production Process	Former cleaning and washing, coagulant dipping, coagulant drying, latex dipping, latex drying oven, beading, leaching tank dip, main curing oven, cooling tank, chlorination tank, soak rinse tank, neutralizer, post leaching tank, blower, stripping, QC inspection, tumbling, packing, Pre-shipment inspection.																																																
7. Standards & Approvals	<div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> </div> <div style="margin-right: 20px;"> </div> <div> <p>Securitex PF is tested to and complies with;</p> <ul style="list-style-type: none"> AS/NZS 4011.1:2014 Certified under HACCP Food Safety Accreditation Entered into the ARTG - ARTG# 124235 Acceptable Quality Level AQL 1.5 </div> </div>																																																
8. Dimensions	<table border="1"> <thead> <tr> <th>SIZE</th> <th>WEIGHT p/pc +0.0/-0.2gm</th> <th>LENGTH (mm)</th> <th>THICKNESS FINGER SINGLE WALL +/-0.03</th> <th>THICKNESS PALM SINGLE WALL +/-0.03</th> <th>THICKNESS CUFF SINGLE WALL</th> <th>PALM WIDTH (+/-3)</th> </tr> </thead> <tbody> <tr> <td>XS</td> <td>5.2gm</td> <td>240mm</td> <td>0.14mm</td> <td>0.11mm</td> <td>0.08mm</td> <td>76mm</td> </tr> <tr> <td>SMALL</td> <td>5.9gm</td> <td>240mm</td> <td>0.14mm</td> <td>0.11mm</td> <td>0.08mm</td> <td>84mm</td> </tr> <tr> <td>MEDIUM</td> <td>6.4gm</td> <td>240mm</td> <td>0.14mm</td> <td>0.11mm</td> <td>0.08mm</td> <td>94mm</td> </tr> <tr> <td>LARGE</td> <td>6.9gm</td> <td>240mm</td> <td>0.14mm</td> <td>0.11mm</td> <td>0.08mm</td> <td>105mm</td> </tr> <tr> <td>XL</td> <td>7.5gm</td> <td>240mm</td> <td>0.14mm</td> <td>0.11mm</td> <td>0.08mm</td> <td>113mm</td> </tr> </tbody> </table>						SIZE	WEIGHT p/pc +0.0/-0.2gm	LENGTH (mm)	THICKNESS FINGER SINGLE WALL +/-0.03	THICKNESS PALM SINGLE WALL +/-0.03	THICKNESS CUFF SINGLE WALL	PALM WIDTH (+/-3)	XS	5.2gm	240mm	0.14mm	0.11mm	0.08mm	76mm	SMALL	5.9gm	240mm	0.14mm	0.11mm	0.08mm	84mm	MEDIUM	6.4gm	240mm	0.14mm	0.11mm	0.08mm	94mm	LARGE	6.9gm	240mm	0.14mm	0.11mm	0.08mm	105mm	XL	7.5gm	240mm	0.14mm	0.11mm	0.08mm	113mm	
SIZE	WEIGHT p/pc +0.0/-0.2gm	LENGTH (mm)	THICKNESS FINGER SINGLE WALL +/-0.03	THICKNESS PALM SINGLE WALL +/-0.03	THICKNESS CUFF SINGLE WALL	PALM WIDTH (+/-3)																																											
XS	5.2gm	240mm	0.14mm	0.11mm	0.08mm	76mm																																											
SMALL	5.9gm	240mm	0.14mm	0.11mm	0.08mm	84mm																																											
MEDIUM	6.4gm	240mm	0.14mm	0.11mm	0.08mm	94mm																																											
LARGE	6.9gm	240mm	0.14mm	0.11mm	0.08mm	105mm																																											
XL	7.5gm	240mm	0.14mm	0.11mm	0.08mm	113mm																																											
9. Physical Properties	<table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>BEFORE AGEING</th> <th>AFTER AGEING</th> </tr> </thead> <tbody> <tr> <td>Elongation at break (%)</td> <td>650 minimum</td> <td>500 minimum</td> </tr> <tr> <td>Tensile Strength (MPa)</td> <td>7 minimum</td> <td>6 minimum</td> </tr> </tbody> </table>			DESCRIPTION	BEFORE AGEING	AFTER AGEING	Elongation at break (%)	650 minimum	500 minimum	Tensile Strength (MPa)	7 minimum	6 minimum																																					
DESCRIPTION	BEFORE AGEING	AFTER AGEING																																															
Elongation at break (%)	650 minimum	500 minimum																																															
Tensile Strength (MPa)	7 minimum	6 minimum																																															
10. Colour	Off White / Yellow																																																

Warning: These gloves contain Natural Rubber Latex and may cause allergic reactions in some individuals.

11. Performance Requirements

Gloves shall be sampled and inspected in accordance with ISO 2859-1. The inspection levels and acceptable quality limits (AQLs) shall conform to those listed in below table for the characteristics listed.

CHARACTERISTICS	INSPECTION LEVEL	ACCEPTABLE QUALITY LEVEL	REFERENCE STANDARD
Dimensions	S2	4.0	AS/NZS4011.1:2014
Physical Properties	S2	4.0	AS/NZS4011.1:2014
Watertightness	G1	1.5	AS/NZS4011.1:2014
Tensile Strength and Elongation at break (before and after accelerated ageing)	S2	4.0	AS/NZS4011.1:2014
Visual Defects: Major Minor	G1	1.5 2.5	Manufacturers Practice
Packaging Defects Regulatory Visual Critical (Incl Glove Count)	G1 G1 S2	** 4.0 4.0	In House Inspection
Powderfree Residue	N=5	-	ASTM D3578-01
Moisture Content	S2	4.0	Manufacturers Practice

Notes: ** indicates unacceptable at any level

For Dimensions and Physical Properties a median of 13 test pieces used as per EN455-02-00

12. Quality Control Inspection Procedures

- Shipment is placed in quarantine area separately from other gloves in warehouse as one lot
- Shipment is then sorted by sizes if shipment consists of more than one size.
- QC inspector records lot number(s) indicated on inner boxes and outer cases, sizes quantity of shipment, buyer, date, etc
- QC inspector selects at random samples according to ISO procedures for sampling, each lots of different sizes are handled separately
- Samples are sent for testing as per requirements
- Results of tests will be recorded and only those that meet acceptance criteria are released for dispatch. If shipment consists of more than one size, shipment will be released only when all lots of different sizes have passed.
- If a shipment is found to fail test requirements it will be rejected by QC inspector and not released for shipment.

13. Packaging

100 pieces will be packed into a dispenser box. The number contained in each dispenser box determined by weight. 10 dispenser boxes are packed in 2 layers of 5 giving 10 dispenser boxes inside export quality shipper carton (outer).

14. Shipper Carton Specifications

SIZE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)
XS	390	245	257	6.2
SMALL	390	245	257	6.9
MEDIUM	390	245	257	7.4
LARGE	390	245	257	7.9
XL	390	245	257	8.5

15. Storage Conditions

The gloves will maintain their properties when stored in dry conditions out of direct sunlight at between 10°C to 30°C.

16. Shelf Life

The gloves shall have a shelf life of 5 years from the date of manufacture when stored in compliance with the above storage conditions.