

1. Device Name	STRETCH BLUES PF																																								
2. Description	Powder Free Vinyl, Beaded Cuff, Ambidextrous, Non Sterile, Does not contain DEHP phthalates																																								
3. Product Codes & Sizes	<table border="1"> <thead> <tr> <th>Product Code</th> <th>Size</th> <th>Inner Barcode</th> <th>Shipper Barcode</th> </tr> </thead> <tbody> <tr> <td>41037</td> <td>SMALL</td> <td>9311059410377</td> <td>19311059410374</td> </tr> <tr> <td>41038</td> <td>MEDIUM</td> <td>9311059410384</td> <td>19311059410381</td> </tr> <tr> <td>41039</td> <td>LARGE</td> <td>9311059410391</td> <td>19311059410398</td> </tr> <tr> <td>41040</td> <td>XL</td> <td>9311059410407</td> <td>19311059410404</td> </tr> </tbody> </table>				Product Code	Size	Inner Barcode	Shipper Barcode	41037	SMALL	9311059410377	19311059410374	41038	MEDIUM	9311059410384	19311059410381	41039	LARGE	9311059410391	19311059410398	41040	XL	9311059410407	19311059410404																	
Product Code	Size	Inner Barcode	Shipper Barcode																																						
41037	SMALL	9311059410377	19311059410374																																						
41038	MEDIUM	9311059410384	19311059410381																																						
41039	LARGE	9311059410391	19311059410398																																						
41040	XL	9311059410407	19311059410404																																						
4. Recommended Applications	<ul style="list-style-type: none"> Medical Dental Hospitals Diagnostic Pharmaceutical Laboratory Childcare Aged Care Emergency Services Food Processing Food Service Industrial Cosmetic Cleaning 																																								
5. Materials	Polyvinyl Chloride, NBR, Calcium-Zinc Stabilizer, Poly Urethane, Bis (2-ethylhexyl)O terphthalate (DOTP). Pigment Blue.																																								
6. Production Process	Raw material inspection, mixing and preparation, Laboratory test of compounded solution, Dip Line process, QC in process inspection, Tumbling, QC off-line inspection, Packing, Packing process inspection, QC Pre-shipment inspection, Ship.																																								
7. Standards & Approvals	<div style="display: flex; align-items: center;"> <div> <p>Stretch Blues are tested to and complies with;</p> <ul style="list-style-type: none"> EN455 1-2:2009 Certified under HACCP Food Safety Accreditation Entered into the ARTG - ARTG# 185818 Acceptable Quality Level AQL 1.5 </div> </div>																																								
8. Dimensions	<table border="1"> <thead> <tr> <th>SIZE</th> <th>WEIGHT p/pc +0.2- 0.2gm</th> <th>LENGTH (min)</th> <th>THICKNESS FINGER SINGLE WALL (min)</th> <th>THICKNESS PALM SINGLE WALL (min)</th> <th>THICKNESS CUFF SINGLE WALL (min)</th> <th>PALM WIDTH (+/-5)</th> </tr> </thead> <tbody> <tr> <td>SMALL</td> <td>5.0gm</td> <td>240mm</td> <td>0.09mm</td> <td>0.08mm</td> <td>0.05mm</td> <td>85mm</td> </tr> <tr> <td>MEDIUM</td> <td>5.5gm</td> <td>240mm</td> <td>0.09mm</td> <td>0.08mm</td> <td>0.05mm</td> <td>95mm</td> </tr> <tr> <td>LARGE</td> <td>5.9gm</td> <td>240mm</td> <td>0.09mm</td> <td>0.08mm</td> <td>0.05mm</td> <td>105mm</td> </tr> <tr> <td>XL</td> <td>6.5gm</td> <td>240mm</td> <td>0.09mm</td> <td>0.08mm</td> <td>0.05mm</td> <td>115mm</td> </tr> </tbody> </table> <p><i>Note: Cuff Thickness reference only</i></p>						SIZE	WEIGHT p/pc +0.2- 0.2gm	LENGTH (min)	THICKNESS FINGER SINGLE WALL (min)	THICKNESS PALM SINGLE WALL (min)	THICKNESS CUFF SINGLE WALL (min)	PALM WIDTH (+/-5)	SMALL	5.0gm	240mm	0.09mm	0.08mm	0.05mm	85mm	MEDIUM	5.5gm	240mm	0.09mm	0.08mm	0.05mm	95mm	LARGE	5.9gm	240mm	0.09mm	0.08mm	0.05mm	105mm	XL	6.5gm	240mm	0.09mm	0.08mm	0.05mm	115mm
SIZE	WEIGHT p/pc +0.2- 0.2gm	LENGTH (min)	THICKNESS FINGER SINGLE WALL (min)	THICKNESS PALM SINGLE WALL (min)	THICKNESS CUFF SINGLE WALL (min)	PALM WIDTH (+/-5)																																			
SMALL	5.0gm	240mm	0.09mm	0.08mm	0.05mm	85mm																																			
MEDIUM	5.5gm	240mm	0.09mm	0.08mm	0.05mm	95mm																																			
LARGE	5.9gm	240mm	0.09mm	0.08mm	0.05mm	105mm																																			
XL	6.5gm	240mm	0.09mm	0.08mm	0.05mm	115mm																																			
9. Physical Properties	<table border="1"> <thead> <tr> <th>DESCRIPTION</th> <th>BEFORE AGEING</th> <th>AFTER AGEING</th> </tr> </thead> <tbody> <tr> <td>Tensile Strength (N)</td> <td>3.6 minimum</td> <td>3.6 minimum</td> </tr> </tbody> </table>						DESCRIPTION	BEFORE AGEING	AFTER AGEING	Tensile Strength (N)	3.6 minimum	3.6 minimum																													
DESCRIPTION	BEFORE AGEING	AFTER AGEING																																							
Tensile Strength (N)	3.6 minimum	3.6 minimum																																							
10. Colour	Blue																																								



11. Performance Requirements

Gloves shall be sampled and inspected in accordance with ISO 2859-1. The inspection levels and acceptable quality limits (AQLs) shall conform to those listed in below table for the characteristics listed.

CHARACTERISTICS	INSPECTION LEVEL	ACCEPTABLE QUALITY LEVEL	REFERENCE STANDARD
Dimensions	S2	4.0	EN455-2:2009
Physical Properties	S2	4.0	EN455-2:2009
Watertightness	G1	1.5	EN455-1:2009
Tensile Strength and Elongation at break (before and after accelerated ageing)	S2	4.0	EN455-2:2009
Visual Defects:			Manufacturers Practice
Critical	S4	1.5	
Major	S4	2.5	
Minor	S4	4.0	

12. Quality Control Inspection Procedures

- a) Shipment is placed in quarantine area separately from other gloves in warehouse as one lot
- b) Shipment is then sorted by sizes if shipment consists of more than one size.
- c) QC inspector records lot number(s) indicted on inner boxes and outer cases, sizes quantity of shipment, buyer, date, etc
- d) QC inspector selects at random samples according to ISO procedures for sampling, each lots of different sizes are handled separately
- e) Samples are sent for testing as per requirements
- f) Results of tests will be recorded and only those that meet acceptance criteria are released for dispatch. If shipment consists of more than one size, shipment will be released only when all lots of different sizes have passed.
- g) If a shipment is found to fail test requirements it will be rejected by QC inspector and not released for shipment.

13. Packaging

100 pieces will be packed into a dispenser box. The number contained in each dispenser box determined by weight. 10 dispenser boxes are packed in 2 layers of 5 giving 10 dispenser boxes inside export quality shipper carton (outer).

14. Shipper Carton Specifications

SIZE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)
SMALL	340	249	243	6.1
MEDIUM	340	249	243	6.6
LARGE	340	249	243	7.1
XL	340	249	243	7.6

15. Storage Conditions

The gloves will maintain their properties when stored in dry conditions out of direct sunlight at between 10°C to 30°C.

16. Shelf Life

The gloves shall have a shelf life of 3 years from the date of manufacture when stored in compliance with the above storage conditions.