

PRODUCT DATA SHEET

Pro-Val KGF




Hand Protection with Enhanced Ventilation, Excellent Grip

Detail	Answer
Colour Coding	n/a
Colour - Liner	Light Blue
Coating Material	n/a
Shell Material	HPPE/polyester/nylon/glass fiber
Gauge	13
Construction	Seamless Knitted

DIMENSIONS

Size Range	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)
Total glove length (+/- 5mm) A	255	265	275	285	295
Wrist length (mm) B	72	78	82	86	90
Wrist width (mm) C	72	74	77	81	84
Palm width (mm) D	95	98	102	105	110
Over Lock Colour	As Required	As Required	As Required	As Required	As Required



EN TEST RESULTS

TEST	Size 6 (XS)	Size 7 (S)
EN ISO 21420:2020	CTC	YES
EN 388: 2016	CTC	3X42F

If a glove due to its design and construction fails outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".

TYPICAL PERFORMANCE VALUES

TYPICAL PERFORMANCE VALUES	
EN ISO 21420: 2020	LEVEL 5
pH - Textile ISO 3071:2020	6:9
EN 388:2016 + A1:2018 A. Abrasion Resistance	>2000 cycles
EN 388:2016 + A1:2018 D. Tear Resistance	>75 newtons
EN 388:2016 + A1:2018 D. Puncture Resistance	>60 newtons
EN 388:2016 + A1:2018 D. Cutting Resistance TDM	>30 newtons
REACH compliant	YES



SPECIFIC ADVANTAGES

TYPICAL PERFORMANCE VALUES	
OEKO-TEX® 100	Certified
Sanitized	Yes
Touch-Screen function	Yes

REACH
Compliant





PRODUCT DATA SHEET

Pro-Val KGF



Level F Cut Resistant HPPE Food Industry Liner Glove

1. Device Name	KGF																																		
2. Description	Knitted 13 gauge, Level F cut resistance, high abrasion and tear rating, maximum dexterity, outstanding flexibility and feel, ambidextrous, seamless, washable, reusable.																																		
3. Product Codes & Sizes	<table border="1"> <thead> <tr> <th>SIZE</th> <th>PRODUCT CODE</th> <th>BARCODE</th> <th>CUFF COLOUR</th> <th>GLOVE LENGTH</th> </tr> </thead> <tbody> <tr> <td>S</td> <td>41727</td> <td>9315570002721</td> <td>Yellow</td> <td>255mm</td> </tr> <tr> <td>M</td> <td>41728</td> <td>9311059417284</td> <td>Green</td> <td>270mm</td> </tr> <tr> <td>L</td> <td>41729</td> <td>9311059417294</td> <td>Brown</td> <td>280mm</td> </tr> <tr> <td>XL</td> <td>41730</td> <td>9311059417307</td> <td>Yellow</td> <td>290mm</td> </tr> <tr> <td>XXL</td> <td>41731</td> <td>9311059417310</td> <td>RED</td> <td>290mm</td> </tr> </tbody> </table>					SIZE	PRODUCT CODE	BARCODE	CUFF COLOUR	GLOVE LENGTH	S	41727	9315570002721	Yellow	255mm	M	41728	9311059417284	Green	270mm	L	41729	9311059417294	Brown	280mm	XL	41730	9311059417307	Yellow	290mm	XXL	41731	9311059417310	RED	290mm
SIZE	PRODUCT CODE	BARCODE	CUFF COLOUR	GLOVE LENGTH																															
S	41727	9315570002721	Yellow	255mm																															
M	41728	9311059417284	Green	270mm																															
L	41729	9311059417294	Brown	280mm																															
XL	41730	9311059417307	Yellow	290mm																															
XXL	41731	9311059417310	RED	290mm																															
4. Recommended Application	<table border="1"> <tbody> <tr> <td>• Food manufacturing</td> <td>• Kitchens</td> <td>• Poultry Works</td> </tr> <tr> <td>• Food Processing</td> <td>• Car industry</td> <td></td> </tr> <tr> <td>• Abattoirs & Meat works</td> <td>• Mechanic Workshop</td> <td></td> </tr> <tr> <td>• Fisheries</td> <td>• Fruit Industry</td> <td></td> </tr> <tr> <td>• Seafood industry</td> <td>• Vegetable Industry</td> <td></td> </tr> </tbody> </table>					• Food manufacturing	• Kitchens	• Poultry Works	• Food Processing	• Car industry		• Abattoirs & Meat works	• Mechanic Workshop		• Fisheries	• Fruit Industry		• Seafood industry	• Vegetable Industry																
• Food manufacturing	• Kitchens	• Poultry Works																																	
• Food Processing	• Car industry																																		
• Abattoirs & Meat works	• Mechanic Workshop																																		
• Fisheries	• Fruit Industry																																		
• Seafood industry	• Vegetable Industry																																		
5. Materials	High Performance Polyethylene (HPPE), Polyester Nylon Spandex, Glass Fibre.																																		
6. Production Process	Yarn knitted to form glove shell, inspection, wash, gloves turned inside out, over lock of wrist band in colour designated to size. Inspection for holes and imperfections, packing, dispatch.																																		
7. Standards & Approvals	<table border="1"> <tbody> <tr> <td>KGF are tested to and complies with;</td> </tr> <tr> <td>Gloves are tested to and comply with EN420:2003 Clause 5 (size and dexterity)</td> </tr> <tr> <td>Gloves are tested to and comply with EN388 21420 2020 (protection against mechanical risks)</td> </tr> <tr> <td>Migration testing in accordance with EU Commission Regulation 10/2011 for contact with food</td> </tr> </tbody> </table>		KGF are tested to and complies with;	Gloves are tested to and comply with EN420:2003 Clause 5 (size and dexterity)	Gloves are tested to and comply with EN388 21420 2020 (protection against mechanical risks)	Migration testing in accordance with EU Commission Regulation 10/2011 for contact with food	 																												
KGF are tested to and complies with;																																			
Gloves are tested to and comply with EN420:2003 Clause 5 (size and dexterity)																																			
Gloves are tested to and comply with EN388 21420 2020 (protection against mechanical risks)																																			
Migration testing in accordance with EU Commission Regulation 10/2011 for contact with food																																			
8. Length	<table border="1"> <thead> <tr> <th>SIZE</th> <th>SMALL</th> <th>MEDIUM</th> <th>LARGE</th> <th>XL</th> <th>XXL</th> </tr> </thead> <tbody> <tr> <td>LENGTH (MIN)</td> <td>230</td> <td>270</td> <td>280</td> <td>290</td> <td>300</td> </tr> </tbody> </table>					SIZE	SMALL	MEDIUM	LARGE	XL	XXL	LENGTH (MIN)	230	270	280	290	300																		
SIZE	SMALL	MEDIUM	LARGE	XL	XXL																														
LENGTH (MIN)	230	270	280	290	300																														
9. Colour	Blue Speckled																																		
10. Performance Requirements	<table border="1"> <thead> <tr> <th>CHARACTERISTIC</th> <th>LEVEL ACHIEVED</th> <th>REFERENCE STANDARD</th> </tr> </thead> <tbody> <tr> <td>Migration test 3% acetic acid (W/V) aqueous solution</td> <td>PASS</td> <td>EU Commission regulation 10/2011 contact with food</td> </tr> <tr> <td>Migration test 95% ethanol</td> <td>PASS</td> <td>EU Commission regulation 10/2011 contact with food</td> </tr> <tr> <td>Migration test Isooctane</td> <td>PASS</td> <td>EU Commission regulation 10/2011 contact with food</td> </tr> <tr> <td>pH of glove is greater than 3.5 and lower than 9.5</td> <td>PASS</td> <td>EN420:2003 + A1:2009</td> </tr> </tbody> </table>					CHARACTERISTIC	LEVEL ACHIEVED	REFERENCE STANDARD	Migration test 3% acetic acid (W/V) aqueous solution	PASS	EU Commission regulation 10/2011 contact with food	Migration test 95% ethanol	PASS	EU Commission regulation 10/2011 contact with food	Migration test Isooctane	PASS	EU Commission regulation 10/2011 contact with food	pH of glove is greater than 3.5 and lower than 9.5	PASS	EN420:2003 + A1:2009															
CHARACTERISTIC	LEVEL ACHIEVED	REFERENCE STANDARD																																	
Migration test 3% acetic acid (W/V) aqueous solution	PASS	EU Commission regulation 10/2011 contact with food																																	
Migration test 95% ethanol	PASS	EU Commission regulation 10/2011 contact with food																																	
Migration test Isooctane	PASS	EU Commission regulation 10/2011 contact with food																																	
pH of glove is greater than 3.5 and lower than 9.5	PASS	EN420:2003 + A1:2009																																	

PRODUCT DATA SHEET

Pro-Val KGF



Level F Cut Resistant HPPE Food Industry Liner Glove

11. Packaging	1 piece will be packed into a polybag. 10 pieces packed into inner polybag with paper insert, 20 inner polybags are packed per export quality shipper. For a total of 200 pieces per shipper carton.																															
12. Shipper Carton Specifications	<table border="1"> <thead> <tr> <th>SIZE</th> <th>LENGTH (mm)</th> <th>WIDTH (mm)</th> <th>HEIGHT (mm)</th> <th>GROSS WEIGHT (kg)</th> </tr> </thead> <tbody> <tr> <td>SMALL</td> <td>240</td> <td>300</td> <td>200</td> <td>7.1</td> </tr> <tr> <td>MEDIUM</td> <td>240</td> <td>300</td> <td>200</td> <td>7.1</td> </tr> <tr> <td>LARGE</td> <td>240</td> <td>300</td> <td>200</td> <td>7.1</td> </tr> <tr> <td>XL</td> <td>240</td> <td>300</td> <td>200</td> <td>7.1</td> </tr> <tr> <td>XXL</td> <td>240</td> <td>300</td> <td>200</td> <td>7.1</td> </tr> </tbody> </table>		SIZE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)	SMALL	240	300	200	7.1	MEDIUM	240	300	200	7.1	LARGE	240	300	200	7.1	XL	240	300	200	7.1	XXL	240	300	200	7.1
SIZE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)																												
SMALL	240	300	200	7.1																												
MEDIUM	240	300	200	7.1																												
LARGE	240	300	200	7.1																												
XL	240	300	200	7.1																												
XXL	240	300	200	7.1																												
13. Storage Conditions	The gloves will maintain their properties when stored in dry conditions out of direct sunlight at between 10 to 30°C																															
14. Shelf life	Not Specified																															
15. Washing Instructions	<ul style="list-style-type: none"> Machine or hand wash for 15 minutes with a commercial laundry soap or detergent at a water temperature below 85 deg Celsius. Rinse in cold or warm water. Tumble dry for 10 minutes below 85 deg Celsius. Higher temperatures may reduce the life cycle of the gloves. 																															

Product Code Size

41728 **M**

CE

EN388

3X42F

EN standard for handling of foodstuffs

KGF

Level F Cut Resistant Liner Glove
Outstanding flexibility and feel
Breathable and ambidextrous

APPLICATIONS

- Abattoirs and butchers
- Fisheries and seafood industries
- Poultry processing
- Fruit and vegetable processing

CARE INSTRUCTIONS

80°

- Machine or hand wash for 15 minutes with a commercial laundry soap or detergent at a water temperature below 85 deg Celsius.
- Rinse in cold or warm water.
- Tumble dry for 10 minutes below 85 deg Celsius.
- Higher temperatures may reduce the life cycle of the gloves.

MATERIAL

- 13 Gauge
- Cut F rated
- Light blue colour

Note: For hygiene purposes cut resistant gloves should always be covered with an impervious glove when handling food.

Glove Size	Colour
S (SMALL)	
M (MEDIUM)	
L (LARGE)	
XL (EXTRA LARGE)	
XXL (EXTRA EXTRA LARGE)	

Made in PRC for EHI Australia
 ABN 61 098 176 991
www.ehi.com.au

9 4311059 417284

ORDER NOW

NSW
Phone: 02 9670 0400

VIC
Phone: 03 9558 2020

WA
Phone: 08 9406 6333

www.ehi.com.au
indsales@ehi.com.au

POWERED BY
EHI
AUSTRALIA