

<b>1. Device Name</b>	<b>CPE BOOT COVER</b>											
<b>2. Description</b>	Cast Polyethylene, Generous Size, Plastic Tie Ankles, Elastic Top, Double Layered Sole, Universal Size Waterproof, Indoor Use											
<b>3. Product Codes &amp; Sizes</b>	<table border="1"> <thead> <tr> <th>Product Code</th> <th>Colour</th> <th>Size</th> <th>Shipper Barcode</th> </tr> </thead> <tbody> <tr> <td>50506</td> <td>WHITE</td> <td>450 x 530mm</td> <td>19311059505063</td> </tr> </tbody> </table>				Product Code	Colour	Size	Shipper Barcode	50506	WHITE	450 x 530mm	19311059505063
Product Code	Colour	Size	Shipper Barcode									
50506	WHITE	450 x 530mm	19311059505063									
<b>4. Recommended Applications</b>	<ul style="list-style-type: none"> <li>Medical</li> <li>Hospitals</li> <li>Pharmaceutical</li> <li>Laboratory</li> <li>Dental</li> <li>Manufacturing</li> <li>Emergency Services</li> <li>Forensic</li> <li>Diagnostic</li> <li>Veterinary</li> <li>Aged Care</li> <li>Clean Room Environment</li> <li>Protection for Floors, Carpet &amp; Tiles</li> <li>Food Manufacturing</li> <li>Food Processing</li> <li>Industrial</li> </ul>											
<b>5. Materials</b>	Cast Polyethylene (CPE), 0.11mm, Elastic, Vinyl Sole											
<b>6. Standards &amp; Approvals</b>	 <p><b>CPE Boot Cover</b> is tested to and complies with;</p> <ul style="list-style-type: none"> <li>Certified under HACCP Food Safety Accreditation</li> </ul>											
<b>7. Specifications</b>	<ul style="list-style-type: none"> <li>Cast Polyethylene limited use overboot designed to cover feet and footwear to shin. To protect product and areas from contaminants potentially brought in on street clothes from external areas. Alternatively to protect street clothes from contaminants in working area</li> <li>Lightweight</li> <li>Waterproof</li> <li>Protects against water based liquids, mild acids and bases, body fluids, particulate matter, fibres, dirt, dust, grease and grime</li> <li>Inflammable, not flame resistant, melts at around 120°C</li> <li>This product has a high degree of water resistance</li> <li>Available in white only</li> </ul>											
<b>8. Packaging</b>	50 Pieces per Polybag, 5 Polybags per Carton TOTAL 250 Pieces per Carton											
<b>9. Packaging Specifications</b>	<table border="1"> <thead> <tr> <th>LENGTH (mm)</th> <th>WIDTH (mm)</th> <th>HEIGHT (mm)</th> <th>GROSS WEIGHT (kg)</th> </tr> </thead> <tbody> <tr> <td>285</td> <td>380</td> <td>430</td> <td>9.0</td> </tr> </tbody> </table>				LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)	285	380	430	9.0
LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	GROSS WEIGHT (kg)									
285	380	430	9.0									
<b>10. Washing Instructions</b>	Not Recommended - do not launder or iron, single use only											
<b>11. Storage Conditions</b>	Store out of direct sunlight in dry conditions between 10 °c and 30 °c.											
<b>12. Suitability</b>	The end-user to determine the suitability of the product for their application											

