

[product

TUBULAR LATCHES / PASSAGE / PRIVACY

[type. SPRUNG DOOR LATCHES.]

[range. DOOR HARDWARE.]

[region. NORTH AMERICA.]


Passage and privacy tubular latches, designed to work in conjunction with our North American door lever handles and door knobs. A sprung latch ensures a consistent feel everytime you open the door. Works great on all internal doors. Latches come with strike plates and face plates machined in five solid metal finishes:


Steel, brass, smoked bronze, gun metal and black. Latch tongues come in matching brass or steel.











* not available in 3-3/4" backset for Door Knobs





BUSTERANDPUNCH.COM/US [end. ORDINARY.]

[type. PASSAGE / 2-3/8" BACKSET.]

[designed for. DOOR HANDLES.]

[info. MEASUREMENTS.]





[info. SPECIFICATIONS.]

North American specification passage tubular latch, supplied with a plastic latch block with a 1.63** centre to centre distance, 2-3/8* backset.

For use with North American specification passage door lever handles. Suitable for interior doors only.

 $0.31\mbox{"}$ x $0.31\mbox{"}$ square split spindle (supplied with B+P door lever handle sets)

[info. FINISH & SKU NUMBERS.]

[finish.] [SKU.]

Steel NLL-07173

Brass NLL-05171

Black NLL-02170

Smoked Bronze NLL-09172

Gun Metal NLL-352220

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. INCLUDED.]

1 x Passage tubular latch

- 1 x face plate
- 1 x strike plate
- 1 x plastic dust box
- 1 x plastic latch block


all required fixings (including matching finish woodscrews)

[please. NOTE.]

*This number indicates the centre to centre measurement for the through bolt holes that are used to fit the door. 1.63" is standard for North America and Canada.

[type. PASSAGE / 2-3/4" BACKSET.]
[designed for. DOOR HANDLES.]

[info. MEASUREMENTS.]



[info. $\mathbf{SPECIFICATIONS.}$]

North American specification passage tubular latch, supplied with a plastic latch block with a 1.63^{**} centre to centre distance, $2\text{-}3/4^{*}$ backset.

For use with North American specification passage door lever handles. Suitable for interior doors only.

 $0.31\mbox{"}$ x $0.31\mbox{"}$ square split spindle (supplied with B+P door lever handle sets)

[info. FINISH & SKU NUMBERS.]

[finish.] [SKU.]

Steel NLL-07177

Brass NLL-05175

Black NLL-02174

Smoked Bronze NLL-09176

Gun Metal NLL-352221

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. INCLUDED.]

1 x Passage tubular latch


- 1 x face plate
- 1 x strike plate
- 1 x plastic dust box
- 1 x plastic latch block

all required fixings (including matching finish woodscrews)

[please. NOTE.]

*This number indicates the centre to centre measurement for the through bolt holes that are used to fit the door. 1.63" is standard for North America and Canada.

[type. PASSAGE / 3-3/4" BACKSET.]
[designed for. DOOR KNOBS.]
[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

North American specification passage tubular latch, supplied with a plastic latch block with a 1.63^{**} centre to centre distance, $3-3/4^{*}$ backset.

For use with North American specification passage door knobs. Suitable for interior doors only.

 $0.31\mbox{"}$ x $0.31\mbox{"}$ square split spindle (supplied with B+P door lever handle sets)

[info. FINISH & SKU NUMBERS.]

[finish.] [SKU.]

Steel NLL-07194

Brass NLL-05195

Black NLL-02197

Smoked Bronze NLL-09196

Gun Metal NLL-352222

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. INCLUDED.]

1 x Passage tubular latch

- 1 x face plate
- 1 x strike plate
- 1 x plastic dust box
- 1 x plastic latch block

all required fixings (including matching finish woodscrews)


[please. NOTE.]


*This number indicates the centre to centre measurement for the through bolt holes that are used to fit the door. 1.63" is standard for North America and Canada.

[type. PRIVACY / 2-3/8" BACKSET.]

[designed for. DOOR HANDLES.]

[info. MEASUREMENTS.]





[info. $\mathbf{SPECIFICATIONS.}$]

North American specification privacy tubular latch, supplied with a plastic latch block with a 1.63 entre to centre distance, 2-3/8 backset.

For use with North American specification privacy door lever handles. Suitable for interior doors only.

 0.31° x 0.31° square split spindle (supplied with B+P door lever handle sets)

[info. FINISH & SKU NUMBERS.]

[finish.] [SKU.]

Steel NLL-07193

Brass NLL-05191

Black NLL-02190

Smoked Bronze NLL-09192

Gun Metal NLL-352223

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. INCLUDED.]

1 x Privacy tubular latch

- 1 x face plate
- 1 x strike plate
- 1 x plastic dust box
- 1 x plastic latch block


all required fixings (including matching finish woodscrews)

[please. NOTE.]

*This number indicates the centre to centre measurement for the through bolt holes that are used to fit the door. 1.63° is standard for North America and Canada.

[type. PRIVACY / 2-3/4" BACKSET.]
[designed for. DOOR HANDLES.]

[info. MEASUREMENTS.]



[info. $\mathbf{SPECIFICATIONS.}$]

North American specification privacy tubular latch, supplied with a plastic latch block with a 1.63"* centre to centre distance, 2-3/4" backset.

For use with North American specification privacy door lever handles. Suitable for interior doors only.

 0.31° x 0.31° square split spindle (supplied with B+P door lever handle sets)

[info. FINISH & SKU NUMBERS.]

[finish.] [SKU.]

Steel NLL-07193

Brass NLL-05191

Black NLL-02190

Smoked Bronze NLL-09192

Gun Metal NLL-352224

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to aging.

[info. INCLUDED.]

1 x Privacy tubular latch

- 1 x face plate
- 1 x strike plate
- 1 x plastic dust box
- 1 x plastic latch block

all required fixings (including matching finish woodscrews)

[please. NOTE.]

*This number indicates the centre to centre measurement for the through bolt holes that are used to fit the door. 1.63° is standard for North America and Canada.