

BUSTER + PUNCH


LONDON

PULL BAR / DOUBLE-SIDED

+

CLOSET BAR / DOUBLE-SIDED

INSTRUCTION MANUAL



EN: MINIMUM/MAXIMUM DOOR THICKNESS

FR: ÉPAISSEUR MINIMALE / MAXIMALE DE LA PORTE

SP: ESPESOR DE PUERTA MÍNIMO / MÁXIMO

min 10mm or 0.39" - max 60mm or 2.36"

"NOT TO BE USED ON EXTERIOR DOORS, DOING SO WILL VOID THE WARRANTY."


BUSTERANDPUNCH.COM

L0115




DISCLAIMER: THIS PRODUCT IS NOT SUITABLE FOR COMMERCIAL USE. PLEASE CONSULT A PROFESSIONAL WHEN INTRODUCING AND INSTALLING THIS PRODUCT. BUSTER + PUNCH HAS INSTRUCTIONS ON HOW TO USE IT AND HOW TO INTRODUCE IT. WE DO NOT TAKE ANY RESPONSIBILITY. THIS PRODUCT IS NOT SUITABLE FOR DAMP AREAS.

CONTENTS




DOOR PREPERATION




INSTALLATION


1





2



3




4




ENSURE THESE PARTS ARE SCREWED DOWN HAND TIGHT.


ENSURING THE PLASTIC COLLAR & SLEEVE ARE SECURED DOWN CORRECTLY.



! **THREADED SIDE MUST ALWAYS BE ON PULL SIDE OF DOOR FOR SECURITY / EMERGENCY EXIT USE.**



5



6

