






GIRDER SHELF
FURNITURE
INSTALLATION MANUAL





CONTENTS




- 1** LOCATE THE GUARD RAIL IN THE POSITION THAT IS DESIRED, AND USE TWO COIN SCREWS TO FIX IT IN PLACE. ENSURE THE SCREWS ARE NOT CROSS-THREADED. USE FINGERS ONLY, NO SCREW DRIVERS




OR







- 2** CERTAIN ITEMS IN THE RANGE WILL NOT FIT INTO A 4 LUG BOX. IF SUCH A BOX HAS BEEN PREVIOUSLY INSTALLED THE TOP AND BOTTOM LUGS SHOULD BE REMOVED OR BENT BACK TO AVOID CONTACT WITH THE INTERIOR.







B. DRILL TWO 2MM PILOT HOLES WHERE THE MARKS ARE





3 CERTAIN ITEMS IN THE RANGE WILL NOT FIT INTO A 4 LUG BOX. IF SUCH A BOX HAS BEEN PREVIOUSLY INSTALLED THE TOP AND BOTTOM LUGS SHOULD BE REMOVED OR BENT BACK TO AVOID CONTACT WITH THE INTERIOR.






4




5 CERTAIN ITEMS IN THE RANGE WILL NOT FIT INTO A 4 LUG BOX. IF SUCH A BOX HAS BEEN PREVIOUSLY INSTALLED THE TOP AND BOTTOM LUGS SHOULD BE REMOVED OR BENT BACK TO AVOID CONTACT WITH THE INTERIOR.



6



7



[end. **ORDINARY**]

