

Date received: 15-02-11

Date of issue: 14-03-11

Report consists of 8 attached sheets.

Defects before testing: None

Sample name: DROP

OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA**TEST REPORT N° 125543**

Overall dimensions: 520 x 450 x 730 (h) mm (extended uncertainty = 5 mm)

## List performed tests

1. Seat and back static load test EN 1728:2000
2. Non-domestic seating. Vertical load on back rest EN 15373:2007
3. Seat and back fatigue test EN 1728:2000
4. Seat front edge durability test EN 1728:2000
5. Leg forward static load test EN 1728:2000
6. Leg sideways static load test EN 1728:2000
7. Seat impact test EN 1728:2000
8. Back impact test EN 1728:2000



*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
*Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT N° 125543

Date of issue: 14-03-11  
Sample weight Not determined  
Overall dimensions 520 x 450 x 730 (h) mm (\*)  
Sample name: DROP



Side view



Rear view



Bottom view

(\*) Extended uncertainties of weight and overall dimensions of the sample are 0,1 Kg and 5 mm, respectively

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT

125543 / 1

Date received: 15-02-11  
Date of test: 16-02-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Seat and back static load test EN 1728:2000

Seat and back static load test, clause 6.2.1

Test results:

Seat load N	Back force N	Number of cycles	Remarks
2.000	500	10	No defects

Note:

According to EN 1728/00, back force has been reduced from 700 N to 500 N to avoid tipping.

Seat front edge static load, clause 6.2.2

Seat load N	Number of cycles	Remarks
2.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

**TEST REPORT****125543 / 2**

Date received: 15-02-11

Date of test: 16-02-11

Date of issue: 14-03-11

Sample name: DROP

OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA**Non-domestic seating. Vertical load on back rest EN 15373:2007**

Non-domestic seating: vertical static load on back rest - Annex A, clause A.2 EN 15373:2007

## Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.800	900	10	No defects

## Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

  
Managing Director  
Dr. Andrea Givon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT

125543 / 3

Date received: 15-02-11  
Date of test: 21-02-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Seat and back fatigue test EN 1728:2000

Seat and back fatigue test, clause 6.7

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	200.000	No defects

Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT

125543 / 4

Date received: 15-02-11  
Date of test: 07-03-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Seat front edge durability test EN 1728:2000

Seat front edge durability test, clause 6.8

Test results:

Points of application	Seat force N	Number of cycles	Remarks
80 mm back from the front edge	1.000	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Givon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

**TEST REPORT****125543 / 5**Date received: 15-02-11  
Date of test: 14-03-11  
Date of issue: 14-03-11  
Sample name: DROPOMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA**Leg forward static load test EN 1728:2000**

Leg forward static load test, clause 6.12

**Test results:**

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
620	1.800	10	No defects

**Note:**

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

  
Managing Director  
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



## TEST REPORT

125543 / 6

Date received: 15-02-11  
Date of test: 14-03-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Leg sideways static load test EN 1728:2000

Leg sideways static load test, clause 6.13

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
280	1.800	10	No defects

Note:

According to EN 1728/00, horizontal force has been reduced from 760 N to 280 N, to avoid tipping.

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Cravon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



## TEST REPORT

125543 / 7

Date received: 15-02-11  
Date of test: 14-03-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Seat impact test EN 1728:2000

Seat impact test, clause 6.15

### Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	300	10	No defects

### Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

  
Managing Director  
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT

125543 / 8

Date received: 15-02-11  
Date of test: 14-03-11  
Date of issue: 14-03-11  
Sample name: DROP



OMP S.R.L.  
VIA CA' LEONCINO, 2  
31030 CASTELLO DI GODEGO (TV)  
ITALIA

## Back impact test EN 1728:2000

Back impact test, clause 6.16

### Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
68	6,5	10	No defects

### Note:

The test has been carried out according to table 1 of EN 15373:2007, level 3 - severe.

NOTE: As requested by the customer, the sample has been tested without storing for one week in indoor ambient conditions.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director  
Dr. Andrea Giavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.