

Salvus Emergency Bulkhead

High Output – DALI 2

Installation instructions



collingwood




Fig 1.




Fig 2.




Fig 3.




Fig 4.




Fig 5.

Salvus Emergency Bulkhead

High Output – DALI 2

Installation instructions



Installation Data

- Isolate the mains supply, prior to wiring.
- This unit must be wired by a qualified electrician or suitable competent person.
- Battery must be replaced when the unit no longer meet its rated emergency duration, or if a battery fault occurs. Contact Collingwood Lighting for a suitable replacement.
- The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.
- If the DALI signal is not connected the product must be tested manually.

LED indicator status			
Indicator	Status	LED indicator flash code	
Green	No Faults	 ON	
Red	Battery Fault	 Flashing once every 3s	
	LED Fault	 Flashing twice every 3s	
	Duration Time: <3hours	 Flashing three times every 3s	
	Test Mode	Duration Test	Functional Test
		 Flashing four times every 1s (Last 3 hours)	 Flashing four times every 1s (Last 5 mins)



Disposal of this product should be separate from household waste. Please separate these items from other types of waste and recycle them responsibly to promote the sustainable reuse of material resource. Household users should contact their local government office for details of where and how they can take these items for environmentally safe recycling.



5 year warranty

Salvus Emergency Bulkhead

High Output – DALI 2

Installation instructions



Emergency installation and maintenance record

Product : _____

Installer : _____

Date installed : _____

Commissioning by : _____

Date commisioned : _____

Year 1			Year 2		Year 3		Year 4	
Month	Signed	Date	Signed	Date	Signed	Date	Signed	Date
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								



Disposal of this product should be separate from household waste. Please separate these items from other types of waste and recycle them responsibly to promote the sustainable reuse of material resource. Household users should contact their local government office for details of where and how they can take these items for environmentally safe recycling.



5 year warranty