

















CADDY EM



5yr


Warranty | Garantie | Garanzia | Záruka | Εγγύηση | Garantia | Garantía | Garanti | Takuu | نامضلا



5yr

Warranty | Garantie | Garanzia | Záruka | Εγγύηση | Garantia | Garantía | Garanti | Takuu | نامضال

CADDY EM



IP65

IK10

CE

UK
CA

3000K
4000K
6500K





9W
12W
16W

220-240V
50/60Hz

INRUSH
15A/0.25ms

A
↑
G

C



17

WL77WE


WL77KITMS

WL77KITSD

5yr

Warranty | Garantie | Garanzia | Záruka | Εγγύηση | Garantia | Garantía | Garanti | Takuu | ٥ ٥٥٥٥٥٥

INDIGO: RUE DE LA LÉGENDE 32G, 4141 SPRIMONT, BELGIUM
NOBILE: VIALE ALEXANDRE GUSTAVE EIFFEL, 100, COMMERCITY ISOLA P21-24, 00148 ROMA, ITALIA
COLLINGWOOD: NN6 0BT, UK



3000K
4000K
6500K

9W
12W
16W

18

A = Automatic Self Test

M = Manual Test

Automatic Test Dual Colour LED Indicator Status					
	Ready / Normal operation		Battery temperature abnormal		Low battery voltage
	Testing		Battery not connected		Charger board fault
					Transformer fault

Note:
1. After repairing the fault, press and hold the test button for 2 seconds to reset the flashing indicator light to green.

19

= 30s duration test

= 3m duration test

= 30m duration test

= 3h duration test

20

A = Automatic Self Test


M = Manual Test

Manual Test Dual Colour LED Indicator Status			
	Ready / Normal operation		Fault

= Start emergency status

= Normal operation

Note:
1. Sealed LiFePO4 rechargeable battery pack, the battery should be replaced when the required duration is no longer achieved.
2. To avoid any damage to the fixture and ensure its performance, the battery should be replaced with same brand and type.
3. Battery must be charged for >16 hours after installation before a duration test can be performed.



3000K
4000K
6500K

9W
12W
16W

Emergency installation and maintenance record

Dossier d'installation et service de l'éclairage de sécurité

Registro di installazione e manutenzione di emergenza

Product | Produit | Prodotto : _____

Installer | Installateur | Installatore : _____

Date installed | Date d'installation | Data d'installazione : _____

Commissioning by | Mise en service par | Commissionato da : _____

Date commisioned | Date de mise en service | Data di commissione : _____

	Year 1 Année 1 Anno 1		Year 2 Année 2 Anno 2		Year 3 Année 3 Anno 3		Year 4 Année 4 Anno 4		Year 5 Année 5 Anno 5	
Month Mois Mese	Signed Signature Firma	Date Date Data	Signed Signature Firma	Date Date Data	Signed Signature Firma	Date Date Data	Signed Signature Firma	Date Date Data	Signed Signature Firma	Date Date Data
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										
11										
12										

5yr

Warranty | Garantie | Garanzia | Záruka | Εγγύηση | Garantia | Garantía | Garanti | Takuu | نامضلا